



## Item 52742

The Purus Line Living 600 is a complete floor drain with a Twist grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel patterned Twist grate, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

## Item 52748

The Purus Line Living 800 is a complete floor drain with a Twist grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel patterned Twist grate, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

## Specifications

<b>Item Number</b>	52742
<b>Floor Construction</b>	Concrete flooring

<b>Floor Covering</b>	Tiles
<b>Function</b>	Side outlet, low-rise
<b>Item Color</b>	Grey
<b>Material</b>	PP, ABS, Stainless steel 1.4301
<b>Outlet Dimension</b>	Ø50 mm
<b>Pressure Flow Temp</b>	0,6 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating
<b>Item Number</b>	52748
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Tiles
<b>Function</b>	Side outlet, low-rise
<b>Item Color</b>	Grey
<b>Material</b>	PP, ABS, Stainless steel 1.4301
<b>Outlet Dimension</b>	Ø50 mm
<b>Pressure Flow Temp</b>	0,6 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating

