

## Item 05185-24

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×400 mm.



## Item 05185-25

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×500 mm.

## Item 05185-35

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 300×500 mm.

## Item 05185-44

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×400 mm.

## Item 05185-54

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 500×400 mm.

## Item 05185-64

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×400 mm.

#### Item 05185-65

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×500 mm.

#### Item 05175-22

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×200 mm.

#### Item 05185-153

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

#### Item 05185-154

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×400 mm.

#### Item 05185-155

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions

150×500 mm.

Item 05175-13

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

Item 05185-23

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×300 mm.

Item 05185-43

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×300 mm.

## Specifications

<b>Item Number</b>	05185-24
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×400 mm

<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>Item Number</b>	05185-25
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>Item Number</b>	05185-35
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	300×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-44
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	400×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-54
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	500×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-64
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless

**Material** Stainless steel 1.4301

**Pressure Flow Temp** L15

**Size** 600×400 mm

**Surface** Pickled

**Version** L15 grate

**Item Number** 05185-65

**Function** For Purus stainless channel

**Item Color** Stainless

**Material** Stainless steel 1.4301

**Pressure Flow Temp** L15

**Size** 600×500 mm

**Surface** Pickled

**Version** L15 grate

**Item Number** 05175-22

**Function** For Purus stainless channel

**Item Color** Stainless

**Material** Stainless steel 1.4301

**Pressure Flow Temp** L15

<b>Size</b>	200×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>Item Number</b>	05185-153
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>Item Number</b>	05185-154
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-155
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05175-13
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	100×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-23
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless



<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>Item Number</b>	05185-43
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	400×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

