

Item 855160

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.



Item 855165

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855545

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855170

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855175

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855180

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855185

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

Item 855190

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855750

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855794

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item Number	855160
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	600×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	855165
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	800×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	855545
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	900×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	855170
Construction Height	66
Floor	

Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	855175
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1200×100 mm

Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	855180
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	855185
Construction Height	76
Floor Construction	Concrete flooring
Floor Covering	Concrete

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	855190
Construction Height	76
Floor Construction	Concrete flooring
Floor Covering	Concrete

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	855750
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1100×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	855794
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension

Bottom/side in plastic or stainless steel
in Ø50, Ø75 or Ø 110 mm

Size

1400×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

Dimension (mm)	LxW (mm)	H (mm)
600x100	602x101	66,3
800x100	802x101	66,3
900x100	902x101	66,3
1000x100	1002x101	66,3
1100x100	1102x101	71,3
1200x100	1202x101	71,3
1400x100	1402x101	71,3
1500x100	1502x101	71,3
2000x100	2002x101	76,3
2500x100	2502x101	76,3

