

Item 856544

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.



Item 856548

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856552

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856556

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856560

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with an end outlet and is intended for tile flooring with glue flange, comes with a stainless steel tile box Tile Insert as top. The floor channel needs to be supplemented with a outlet house made of plastic or acid-resistant stainless steel.

Item 856564

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856568

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the

environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856572

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856576

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856580

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with an end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item Number	856544
Construction Height	68
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	600×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856548
Construction Height	68
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	800×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856552
Construction Height	68
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	900×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856556
Construction Height	68
Floor	

Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856560
Construction Height	73
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1100×100 mm

Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856564
Construction Height	73
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1200×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856568
Construction Height	73
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1400×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856572
Construction Height	73
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856576
Construction Height	78
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856580
Construction Height	78
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension

Bottom/side in plastic or stainless steel
in Ø50, Ø75 or Ø 110 mm

Size

2500×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

Dimension (mm)	LxW (mm)	H (mm)
600x100	602x101	68,3
800x100	802x101	68,3
900x100	902x101	68,3
1000x100	1002x101	68,3
1100x100	1102x101	73,3
1200x100	1202x101	73,3
1400x100	1402x101	73,3
1500x100	1502x101	73,3
2000x100	2002x101	78,3
2500x100	2502x101	78,3

