

Item 856542

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.



Item 856546

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856550

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856554

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel

Item 856558

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856562

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856566

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the

environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856570

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856574

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856578

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Size	600×100
Item Number	856542
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	800×100
Item Number	856546
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled

Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	900×100
Item Number	856550
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	1000×100
Item Number	856554
Floor	Concrete flooring

Construction	
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	1100×100
Item Number	856558
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

Function	Central outlet
Size	1200×100
Item Number	856562
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	1400×100
Item Number	856566
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles

Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	1500×100
Item Number	856570
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet

Size	2000×100
Item Number	856574
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Function	Central outlet
Size	2500×100
Item Number	856578
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tiles
Construction Height	54
Surface	Pickled

Version

Do not forget grid/outlet house

Item Color

Stainless

Outlet Dimension

Bottom/side in plastic or stainless steel
in Ø50, Ø75 or Ø 110 mm

Function

Central outlet

Dimension (mm)	LxW (mm)
600x100	602x101
800x100	802x101
900x100	902x101
1000x100	1002x101
1100x100	1102x101
1200x100	1202x101
1400x100	1402x101
1500x100	1502x101
2000x100	2002x101
2500x100	2502x101

