



Item 855298

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855300

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855302

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855304

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855306

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855308

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855310

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

Item 855558

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855763

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 855808

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item Number	855298		
Construction Height	66		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Size	600×100		
Surface	Pickled		
Version	Do not forget grid/outlet house		
Item Number	855300		
Construction Height	66		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		

Outlet Dimension Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 800×100 **Surface Pickled** Version Do not forget grid/outlet house **Item Number** 855302 Construction 66 Height Concrete flooring **Floor** Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 1000×100 **Surface** Pickled Version Do not forget grid/outlet house **Item Number** 855304

Construction Height

71

Floor

Construction Concrete flooring **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Size** 1200×100 **Surface Pickled** Version Do not forget grid/outlet house **Item Number** 855306 Construction 71 Height Concrete flooring Floor Construction **Floor Covering** Resin **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

1500×100

Size

Surface	Pickled		
Version	Do not forget grid/outlet house		
Item Number	855308		
Construction Height	76		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Size	2000×100		
Surface	Pickled		
Version	Do not forget grid/outlet house		
Item Number	855310		
Construction Height	76		
Floor Construction	Concrete flooring		
Floor Covering	Resin		

Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Size	2500×100		
Surface	Pickled		
Version	Do not forget grid/outlet house		
Item Number	855558		
Construction Height	66		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Size	900×100		
Surface	Pickled		
Version	Do not forget grid/outlet house		

Item Number	855763		
Construction Height	71		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm		
Size	1100×100		
Surface	Pickled		
Version	Do not forget grid/outlet house		
Item Number	855808		
Construction Height	71		
Floor Construction	Concrete flooring		
Floor Covering	Resin		
Function	End outlet		
Item Color	Stainless		
Material	Acid-resistant stainless steel 1.4404		

 Outlet Dimension
 Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

 Size
 1400×100

 Surface
 Pickled

Do not forget grid/outlet house

Version

Dimension (mm)	LxW (mm)	H (mm)
600x100	602x101	66,3
800x100	802x101	66,3
900x100	902x101	66,3
1000x100	1002x101	66,3
1100x100	1102x101	71,3
1200x100	1202x101	71,3
1400x100	1402x101	71,3
1500x100	1502x101	71,3
2000x100	2002x101	76,3
2500x100	2502x101	76,3

