## **PURUS**



Item 856541

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $600 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856545

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $800 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856549

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856553

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is  $1000 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856557

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1100 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856561

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1200 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856565

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the

environment and outlet house in plastic or acid-resistant stainless steel.

Item 856569

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1500 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856573

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856577

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item Number	856541
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	600×100
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856545
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

**Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 800×100 **Surface Pickled** Version Do not forget grid/outlet house **Item Number** 856549 Construction 52 Height Concrete flooring **Floor** Construction **Floor Covering Tiles Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 900×100 **Surface** Pickled Version Do not forget grid/outlet house **Item Number** 856553

Construction Height

52

Floor

Construction Concrete flooring **Floor Covering Tiles Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Size** 1000×100 **Surface Pickled** Version Do not forget grid/outlet house **Item Number** 856557 Construction 52 Height Concrete flooring Floor Construction **Floor Covering Tiles Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

1100×100

**Size** 

Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856561
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1200×100
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856565
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1400×100	
Surface	Pickled	
Version	Do not forget grid/outlet house	
Item Number	856569	
Construction Height	52	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1500×100	
Surface	Pickled	
Version	Do not forget grid/outlet house	

Item Number	856573
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2000×100
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856577
Construction Height	52
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

 Outlet Dimension
 Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

 Size
 2500×100

 Surface
 Pickled

 Version
 Do not forget grid/outlet house

Dimension (mm)	LxW (mm)
600x100	602x101
800x100	802x101
900x100	902x101
1000x100	1002x101
1100x100	1102x101
1200x100	1202x101
1400x100	1402x101
1500x100	1502x101
2000x100	2002x101
2500x100	2502x101

