



Item 856650

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856651

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856652

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856595

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a

surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856596

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856704

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856705

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856706

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856707

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856708

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Item 856709

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

Purus channel 150 is a channel made of acid-resistant stainless steel for installation in concrete floors. The channel has a central outlet and is intended for vinyl floors as a surface layer. Supplement with gully base in plastic or acid-resistant stainless steel and mesh grate for higher load classes or grating for K3 (300 kg) load.

## **Specifications**

Item Number 856650

Construction Height

66

Floor Construction

Concrete flooring

Floor Covering

Vinyl

**Function** 

End outlet

**Item Color** 

**Stainless** 

**Material** 

Acid-resistant stainless steel 1.4404

**Outlet Dimension** 

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Size

800×150

**Surface** 

**Pickled** 

Version

Do not forget grid/outlet house

**Item Number** 

856651

Construction Height	66	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in $\emptyset$ 50, $\emptyset$ 75 or $\emptyset$ 110 mm	
Size	1000×150	
Surface	Pickled	
Version	Do not forget grid/outlet house	
Item Number	856652	
Construction Height	71	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	

Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

**Outlet Dimension** 

Size 1200×150 Surface Pickled Version Do not forget grid/outlet house **Item Number** 856595 Construction 66 Height Floor Concrete flooring Construction **Floor Covering** Vinyl **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 Bottom/side in plastic or stainless steel **Outlet Dimension** in Ø50, Ø75 or Ø 110 mm Size 500×150 **Surface** Pickled Do not forget grid/outlet house Version **Item Number** 856596 Construction 71 Height **Floor** Concrete flooring Construction

Floor Covering	Vinyl	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1300×150	
Surface	Pickled	
Version	Do not forget grid/outlet house	
Item Number	856704	
Construction Height	66	
Floor	Concrete flooring	
Construction		
Floor Covering	Vinyl	
	Vinyl End outlet	
Floor Covering	·	
Floor Covering Function	End outlet	
Floor Covering Function Item Color	End outlet Stainless	
Floor Covering Function Item Color Material	End outlet  Stainless  Acid-resistant stainless steel 1.4404  Bottom/side in plastic or stainless steel	

			-	
V	PI	rsi	ın	n

Do not forget grid/outlet house

**Item Number** 

856705

**Construction Height** 

66

Floor Construction Concrete flooring

**Floor Covering** 

Vinyl

**Function** 

End outlet

**Item Color** 

**Stainless** 

**Material** 

Acid-resistant stainless steel 1.4404

**Outlet Dimension** 

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

**Size** 

900×150

**Surface** 

Pickled

Version

Do not forget grid/outlet house

**Item Number** 

856706

Construction Height

71

Floor Construction Concrete flooring

**Floor Covering** 

Vinyl

**Function** 

End outlet

**Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 1100×150 **Surface Pickled** Version Do not forget grid/outlet house **Item Number** 856707 Construction 71 Height **Floor** Concrete flooring Construction **Floor Covering** Vinyl **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 1400×150 **Surface Pickled** Version Do not forget grid/outlet house

**Item Number** 856708

Construction Height	71	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1500×150	
Surface	Pickled	
Version	Do not forget grid/outlet house	
Item Number	856709	
Construction Height	76	
Floor Construction	Concrete flooring	
Floor Covering	Vinyl	
Function	End outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	

Bottom/side in plastic or stainless steel

in Ø50, Ø75 or Ø 110 mm

**Outlet Dimension** 

Size 2000×150 **Surface** Pickled Version Do not forget grid/outlet house **Item Number** 856710 Construction 76 Height Concrete flooring **Floor** Construction **Floor Covering** Vinyl **Function** End outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 Bottom/side in plastic or stainless steel **Outlet Dimension** in Ø50, Ø75 or Ø 110 mm **Size** 2500×150 **Surface** Pickled

Do not forget grid/outlet house

Version

Dimension (mm)	LxW (mm)	H (mm)
500x150	502x151	66,3
600x150	602x151	66,3
800x150	802x151	66,3
900x150	905x151	66,3
1000x150	1002x151	66,3
1100x150	1102x151	71,3
1200x150	1202x151	71,3
1300x150	1302x151	71,3
1400x150	1402x151	71,3
1500x150	1502x151	71,3
2000x150	2002x151	76,3
2500x150	2502x151	76,3

