PURUS



Item 818080

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×200 mm with a deep end outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 818082

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×200 mm with a deep end outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 818084

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×200 mm with a deep end outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 818085

Purus channel 200 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×200 mm with a deep end outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Specifications

| Item Number | 010000 |
|------------------------|---|
| item Number | 818080 |
| Construction Height | 75 |
| Electrical Data | 6 I |
| Floor Construction | Concrete flooring |
| Floor Covering | Tile floor with glueing flange |
| Function | End outlet |
| Item Color | Stainless |
| Material | Stainless steel 1.4301 |
| Outlet Dimension | Side/bottom in stainless steel in Ø75/Ø110 mm |
| Size | 600×200 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| | |

Item Number 818082

Construction 75

| Height | | |
|------------------------|---|--|
| Electrical Data | 10 | |
| Floor Construction | Concrete flooring | |
| Floor Covering | Tile floor with glueing flange | |
| Function | End outlet | |
| Item Color | Stainless | |
| Material | Stainless steel 1.4301 | |
| Outlet Dimension | Side/bottom in stainless steel in Ø75/Ø110 mm | |
| Size | 1000×200 mm | |
| Surface | Pickled | |
| Version | Do not forget grid/outlet house | |
| | | |
| Item Number | 818084 | |
| Construction Height | 80 | |
| Electrical Data | 15 l | |
| Floor Construction | Concrete flooring | |
| Floor Covering | Tile floor with glueing flange | |
| Function | End outlet | |
| Item Color | Stainless | |
| Material | Stainless steel 1.4301 | |

| Outlet Dimension | Side/bottom in stainless steel in | |
|-------------------------|---|--|
| | Ø75/Ø110 mm | |
| Size | 1500×200 mm | |
| Surface | Pickled | |
| Version | Do not forget grid/outlet house | |
| | | |
| Item Number | 818085 | |
| Construction Height | 85 | |
| neight | | |
| Electrical Data | 20 | |
| Floor | Concrete flooring | |
| Construction | | |
| Floor Covering | Tile floor with glueing flange | |
| Function | End outlet | |
| Item Color | Stainless | |
| Material | Stainless steel 1.4301 | |
| Outlet Dimension | Side/bottom in stainless steel in Ø75/Ø110 mm | |
| | | |
| Size | 2000×200 mm | |
| Surface | Pickled | |

Do not forget grid/outlet house

Version

| Dimension (mm) | LxW (mm) | H (mm) |
|----------------|----------|--------|
| 600x200 | 603x203 | 75 |
| 1000x200 | 1003x203 | 75 |
| 1500x200 | 1503x203 | 80 |
| 2000x200 | 2003x203 | 85 |

