



## Item 05190-22

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 200×200 mm.

## Item 05190-24

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 200×400 mm.

## Item 05190-25

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 200×500 mm.

## Item 05190-34

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 300×400 mm.

## Item 05190-35

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 300×500 mm.

## Item 05190-43

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 400×300 mm.

#### Item 05190-44

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 400×400 mm.

#### Item 05190-52

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 500×200 mm.

#### Item 05190-53

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 500×300 mm.

#### Item 05190-63

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 600×300 mm.

#### Item 05190-33

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions

300×300 mm.

Item 855330

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 100×500 mm.

Item 05190-13

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 150×300 mm.

Item 05190-14

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 150×400 mm.

Item 05190-15

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 150×500 mm.

Item 855581

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 100×400 mm.

Item 05190-12

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 100×200 mm.

Item 05190-135

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 100×350 mm.

Item 855333

Grid is made of stainless steel. Window grid is a non-slip grid with load class M125 (12 500 kg) for truck and traffic. Dimensions 100×1000 mm.

Specifications

Item Number	05190-22
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	M125
Size	200×200 mm
Surface	Pickled
Version	M125 grate

<b>Item Number</b>	05190-24
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	200×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-25
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	200×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-34
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless

<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	300×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-35
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	300×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-43
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125

<b>Size</b>	400×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate
<b>Item Number</b>	05190-44
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	400×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate
<b>Item Number</b>	05190-52
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	500×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-53
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	500×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-63
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	600×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-33
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless



<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	300×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	855330
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	100×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-13
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125

<b>Size</b>	150×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate
<b>Item Number</b>	05190-14
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	150×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate
<b>Item Number</b>	05190-15
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	150×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	855581
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	100×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-12
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	100×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	05190-135
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless

<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	100×350 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

<b>Item Number</b>	855333
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	M125
<b>Size</b>	100×1000 mm
<b>Surface</b>	Pickled
<b>Version</b>	M125 grate

